

**Title 33**  
**ENVIRONMENTAL QUALITY**

**Part I. Office of the Secretary**

**Subpart 2. Notification**

**Chapter 9. Notification Regulations and Procedures for Unauthorized Discharges**

**Subchapter E. Reportable Quantities for Notification of Unauthorized Discharges**

**§3931. Reportable Quantity List for Pollutants**

A. - B. Footnote #. ...

C. Copies of documents incorporated by reference may be obtained from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20401, or by telephone at (866) 512-1800.

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2025(J), 2060(H), 2076(D), 2183(I), 2194(C), 2204(A), and 2373(B).

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of the Secretary, LR 11:770 (August 1985), amended LR 19:1022 (August 1993), LR 20:183 (February 1994), amended by the Office of Air Quality and Radiation Protection, Air Quality Division, LR 21:944 (September 1995), LR 22:341 (May 1996), amended by the Office of the Secretary, LR 24:1288 (July 1998), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 27:2229 (December 2001), LR 28:994 (May 2002), LR 29:698 (May 2003), LR 30:751 (April 2004), LR 30:1669 (August 2004), amended by the Office of Environmental Assessment, LR 31:919 (April 2005), amended by the Office of the Secretary, Legal Affairs Division, LR 32:603 (April 2006), LR 32:2248 (December 2006), LR 33:640 (April 2007), LR 33:2628 (December 2007), LR 34:\*\*.

**Part III. Air**

**Chapter 1. General Provisions**

**§111. Definitions**

A. When used in these rules and regulations, the following words and phrases shall have the meanings ascribed to them below.

\* \* \*

*Automobile and Light-Duty Truck Assembly Plant*—a facility, excluding customizers, body shops, and other repainters, where automobile and/or light-duty truck bodies, frames, and parts are assembled for eventual inclusion into a finished product ready for sale to vehicle dealers, but excluding the following operations:

- a.(1) wheel coatings;
- b.(2) anti-rust coatings;
- c.(3) trunk coatings;

- ~~d.(4)~~ interior coatings;
- ~~e.(5)~~ flexible coatings;
- ~~f.(6)~~ sealers; and
- ~~g.(7)~~ plastic parts coatings.

~~Excluded from this definition are customizers, body shops, and other repainters.~~

*Bubble Concept*—an alternative emission plan whereby a facility with multiple sources of a given pollutant may achieve a required total emission by a different mix of controls from that mandated by regulation. Some sources may be assigned more restrictive limits, while others would meet less restrictive ones, provided the resulting total emissions are equivalent. Such a concept may permit a more expeditious compliance plan.

\* \* \*

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2054.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Air Quality and Nuclear Energy, Air Quality Division, LR 13:741 (December 1987), amended LR 14:348 (June 1988), LR 15:1061 (December 1989), amended by the Office of Air Quality and Radiation Protection, Air Quality Division, LR 17:777 (August 1991), LR 21:1081 (October 1995), LR 22:1212 (December 1996), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:2444 (November 2000), amended by the Office of the Secretary, Legal Affairs Division, LR 32:808 (May 2006), LR 32:1599 (September 2006), LR 33:2082 (October 2007), LR 34:\*\*.

## **Chapter 21. Control of Emission of Organic Compounds**

### **Subchapter A. General**

#### **§2121. Fugitive Emission Control**

A. Applicability. This regulation is applicable to equipment in petroleum refineries, natural gas processing plants, the synthetic organic chemical manufacturing industry (SOCMI), the methyl tertiary butyl ether (MTBE) manufacturing industry, and the polymer manufacturing industry that contains any of the following components that are intended to operate in VOC service 300 hours or more during the calendar year:

- 1.    ~~a.~~    pumps;
- 2.    ~~b.~~    compressors;
- 3.    ~~c.~~    pressure relief devices;
- 4.    ~~d.~~    open-ended valves or lines;
- 5.    ~~e.~~    process drains;
- 6.    ~~f.~~    valves;
- 7.    ~~g.~~    agitators;
- 8.    ~~h.~~    instrumentation systems; and
- 9.    ~~i.~~    connectors.

## B. - GLiquid Service. ...

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2054.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Air Quality and Nuclear Energy, Air Quality Division, LR 13:741 (December 1987), amended by the Office of Air Quality and Radiation Protection, Air Quality Division, LR 16:959 (November 1990), LR 17:654 (July 1991), LR 21:1330 (December 1995), LR 22:1128 (November 1996), LR 22:1212 (December 1996), LR 24:22 (January 1998), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:1433 (July 2000), LR 26:2452 (November 2000), LR 30:1659 (August 2004), amended by the Office of the Secretary, Legal Affairs Division, LR 31:2440 (October 2005), LR 33:2086 (October 2007), LR 34:\*\*.

### Subchapter C. ~~Vapor~~Solvent Degreasers

#### §2125. ~~Vapor~~Solvent Degreasers

## A. – G....

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2054.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Air Quality and Nuclear Energy, Air Quality Division, LR 13:741 (December 1987), amended by the Office of Air Quality and Radiation Protection, Air Quality Division, LR 16:959 (November 1990), LR 18:1122 (October 1992), LR 22:1212 (December 1996), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 28:1765 (August 2002), LR 30:746 (April 2004), amended by the Office of the Secretary, Legal Affairs Division, LR 34:\*\*.

### Subchapter I. Pharmaceutical Manufacturing Facilities

#### §2145. Pharmaceutical Manufacturing Facilities

## A. - A.2. ...

## B. Air Dryers and Production Equipment Exhaust Systems.

1.—The owner or operator of a synthesized pharmaceutical manufacturing facility subject to this regulation shall reduce the VOC emissions from all air dryers and production equipment exhaust systems:

1. a.—by at least 90 percent if emissions are 330 lb/day (150 kg/day) or more of VOC; or

2. b.—to 33 lb/day (15.0 kg/day) or less if emissions are less than 330 lb/day (150 kg/day) of VOC.

## C. Storage and Loading Controls.

1.—The owner or operator of a synthesized pharmaceutical manufacturing facility subject to this regulation shall:

1. a.—provide a vapor balance system or equivalent control that is at least 90 percent effective in reducing emissions from truck or railcar deliveries to storage tanks with

capacities greater than 2,000 gallons that store VOC with vapor pressures greater than 4.1 psia (28.0 KPA) at 20°C; and

2. ~~b.~~—install pressure/vacuum conservation vents set at plus or minus 0.03 psi gauge (plus or minus 0.2 KPA) on all storage tanks that store VOC with vapor pressures greater than 1.5 psia (10.3 KPA) at 20°C, unless a more effective control system is used.

D. Centrifuges, Filters, and In-process Tank Requirements.

1.—The owner or operator of a synthesized pharmaceutical facility subject to this regulation shall:

1. a.—enclose all centrifuges, rotary vacuum filters, and other filters which have exposed liquid surfaces, where the liquid contains volatile organic compounds and exerts a total volatile organic compound vapor pressure of 0.5 psia (3.50 KPA) or more at 20°C;

2. ~~b.~~—install covers on all in-process tanks containing a volatile organic compound at any time. These covers must remain closed, unless production, sampling, maintenance, or inspection procedures require operator access.

E. - G.4. ...

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2054.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Air Quality and Nuclear Energy, Air Quality Division, LR 13:741 (December 1987), amended by the Office of Air Quality and Radiation Protection, Air Quality Division, LR 16:964 (November 1990), LR 22:1212 (December 1996), LR 24:25 (January 1998), amended by the Office of the Secretary, Legal Affairs Division, LR 34:\*\*.

**Subchapter J. Limiting Volatile Organic Compound (VOC) Emissions from Reactor Processes and Distillation Operations in the Synthetic Organic Chemical Manufacturing Industry (SOCMI)**

**§2147. Limiting VOC Emissions from SOCMI Reactor Processes and Distillation Operations**

A. - C.1.a. ...

b. combust emissions in a flare. Flares used to comply with this Section shall comply with the requirements of ~~LAC 33:III.313140~~ CFR 60.18. The flare operation requirement does not apply if a process vents an emergency relief discharge into a common flare header and causes the flare servicing the process to be out of compliance with one or more of the provisions of the flare operation rule.

C.2. - F.4, Figure 1. ...

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2054.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Air Quality and Radiation Protection, Air Quality Division, LR 21:380 (April 1995), amended LR 22:1212 (December 1996), LR 23:1508, 1510 (November 1997), LR 23:1679 (December 1997), LR 24:1286 (July 1998), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 30:746 (April 2004), amended by the Office of the Secretary, Legal Affairs Division, LR 34:\*\*.

## Chapter 22. Control of Emissions of Nitrogen Oxides (NO<sub>x</sub>)

### §2201. Affected Facilities in the Baton Rouge Nonattainment Area and the Region of Influence

A. - C.6. ...  
 7. *flares, incinerators, and kilns and ovens*, as defined in Subsection B of this Section;

C.8. - J.2. ...

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2054.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Environmental Assessment, Environmental Planning Division, LR 28:290 (February 2002), repromulgated LR 28:451 (March 2002), amended LR 28:1578 (July 2002), LR 30:748 (April 2004), LR 30:1170 (June 2004), amended by the Office of the Secretary, Legal Affairs Division, LR 31:2441 (October 2005), LR 33:2088 (October 2007), LR 34:\*\*.

## Part V. Hazardous Waste and Hazardous Materials

### Subpart 1. Department of Environmental Quality—Hazardous Waste

#### Chapter 1. General Provisions and Definitions

#### §109. Definitions

For all purposes of these rules and regulations, the terms defined in this Chapter shall have the following meanings, unless the context of use clearly indicates otherwise.

\* \* \*

*Recovery Operations*—activities leading to resource recovery, recycling, reclamation, direct reuse or alternative uses as listed in Table 2.B of the Annex of OECD Council Decision C(88)90(Final) of 27 May 1988, (available from the Environmental Protection Agency, RCRA Information Center (RIC), ~~1235 Jefferson Davis Highway, First Floor, Arlington, VA 22203~~ Docket, EPA/DC, EPA West, Room B102, 1301 Constitution Ave., NW, Washington, DC 20460 (Docket Number F-94-IEHF-FFFFF), or at the National Archives and Records Administration (NARA) by telephone at (202) 741-6030, ~~and/or~~ at the Organisation for Economic Co-operation and Development, Environment Directorate, 2 rue Andre Pascal, 75775 Paris Cedex 16, France), which include the following operations.

Code	Recovery Operations
* * *	
[See Prior Text in Table]	

\* \* \*

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2180 et seq.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Hazardous Waste Division, LR 10:200 (March 1984),

amended LR 10:496 (July 1984), LR 11:1139 (December 1985), LR 12:319 (May 1986), LR 13:84 (February 1987), LR 13:433 (August 1987), LR 13:651 (November 1987), LR 14:790, 791 (November 1988), LR 15:378 (May 1989), LR 15:737 (September 1989), LR 16:218, 220 (March 1990), LR 16:399 (May 1990), LR 16:614 (July 1990), LR 16:683 (August 1990), LR 17:362 (April 1991), LR 17:478 (May 1991), LR 18:723 (July 1992), LR 18:1375 (December 1992), repromulgated by the Office of Solid and Hazardous Waste, Hazardous Waste Division, LR 19:626 (May 1993), amended LR 20:1000 (September 1994), LR 20:1109 (October 1994), LR 21:266 (March 1995), LR 21:944 (September 1995), LR 22:814 (September 1996), LR 23:564 (May 1997), amended by the Office of Waste Services, Hazardous Waste Division, LR 24:655 (April 1998), LR 24:1101 (June 1998), LR 24:1688 (September 1998), LR 25:433 (March 1999), repromulgated LR 25:853 (May 1999), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:269 (February 2000), LR 26:2465 (November 2000), LR 27:291 (March 2001), LR 27:708 (May 2001), LR 28:999 (May 2002), LR 28:1191 (June 2002), LR 29:318 (March 2003); amended by the Office of the Secretary, Legal Affairs Division, LR 31:2452 (October 2005), LR 31:3116 (December 2005), LR 32:606 (April 2006), LR 32:822 (May 2006), LR 33:1625 (August 2007), LR 33:2098 (October 2007), LR 34:\*\*.

## **Chapter 11. Generators**

### **Subchapter A. General**

#### **§1113. Exports of Hazardous Waste**

A. - G.1.f, certification. ...

2. Reports shall be sent to the administrative authority of the Louisiana Department of Environmental Quality.

[NOTE: This does not relieve the regulated community from the requirement of submitting annual reports in accordance with 40 CFR 262.56 to the Office of Enforcement and Compliance Assurance, ~~Office of Compliance, Enforcement Planning, Targeting, and Data Division (2222A)~~ Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Ave., NW, Washington, DC 20460. Hand-delivered reports should be sent to the Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division, Environmental Protection Agency, Ariel Rios Bldg., Room 6144, 12<sup>th</sup> St. and Pennsylvania Ave., NW, Washington, DC 20004.]

H. - I.2. ...

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2180 et seq.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Hazardous Waste Division, LR 10:200 (March 1984), amended LR 16:220 (March 1990), LR 18:1256 (November 1992), LR 20:1000 (September 1994), LR 20:1109 (October 1994), LR 21:944 (September 1995), LR 22:20 (January 1996), amended by the Office of the Secretary, LR 22:344 (May 1996), amended by the Office of Waste Services, Hazardous Waste Division, LR 24:661 (April 1998), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:2471 (November 2000), LR 27:710 (May 2001), amended by the Office of the Secretary, Legal Affairs Division, LR 32:824 (May 2006), LR 33:2102 (October 2007), LR 34:\*\*.

## Subchapter B. Transfrontier Shipments of Hazardous Waste

### §1127. Transfrontier Shipments of Hazardous Waste for Recovery within the OECD

A. - C.2. ...

a. Transactions Requiring Specific Consent

i. Notification. At least 45 days prior to commencement of the transfrontier movement, the notifier must provide written notification in English of the proposed transfrontier movement to the Office of Enforcement and Compliance Assurance, ~~Office of Compliance, Enforcement Planning, Targeting, and Data Division (2222A)~~ Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Ave., NW, Washington, DC 20460, with the words "Attention: OECD Export Notification" prominently displayed on the envelope. This notification must include all of the information identified in Paragraph C.5 of this Section. In cases where wastes having similar physical and chemical characteristics, the same United Nations classification, and the same RCRA waste codes are to be sent periodically to the same recovery facility by the same notifier, the notifier may submit one notification of intent to export these wastes in multiple shipments during a period of up to one year.

ii. - iii. ...

b. Shipments to Facilities Preapproved by the Competent Authorities of the Importing Countries to Accept Specific Wastes for Recovery

i. The notifier must provide EPA the information identified in Paragraph C.5 of this Section, in English, at least 10 days in advance of commencing shipment to a preapproved facility. The notification should indicate that the recovery facility is preapproved, and the notification may apply to a single specific shipment or to multiple shipments as described in Clause C.2.a.i of this Section. This information must be sent to the Office of Enforcement and Compliance Assurance, ~~Office of Compliance, Enforcement Planning, Targeting, and Data Division (2222A)~~ Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Ave., NW, Washington, DC 20460, with the words "OECD Export Notification-Preapproved Facility" prominently displayed on the envelope.

C.2.b.ii.-D.4. ...

5. Within three working days of the receipt of imports subject to this Subchapter, the owner or operator of the United States recovery facility must send signed copies of the tracking document to the notifier, to the Office of Enforcement and Compliance Assurance, ~~Office of Compliance, Enforcement Planning, Targeting, and Data Division (2222A)~~ Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Ave., NW, Washington, DC 20460, and to the competent authorities of the exporting and transit countries.

E. - F.2. ...

G. Reporting and Record~~K~~keeping

1. Annual Reports. For all waste movements subject to this Subchapter, persons (e.g., notifiers, recognized traders) who meet the definition of *primary exporter* in LAC

33:V.109 shall file an annual report with the Office of Enforcement and Compliance Assurance, ~~Office of Compliance, Enforcement Planning, Targeting, and Data Division (2222A)~~ Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Ave., NW, Washington, DC 20460, no later than March 1 of each year, summarizing the types, quantities, frequency, and ultimate destination of all such hazardous waste exported during the previous calendar year. (If the primary exporter is required to file an annual report for waste exports that are not covered under this Subchapter, he may include all export information in one report provided the information required by this Subsection on exports of waste destined for recovery within the designated OECD member countries is contained in a separate section.) Such reports shall include the following:

G.1.a. - I.4. ...

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2180 et seq.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Waste Services, Hazardous Waste Division, LR 24:661 (April 1998), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:2471 (November 2000), LR 27:293 (March 2001), amended by the Office of the Secretary, Legal Affairs Division, LR 33:2103 (October 2007), LR 34:\*\*.

### Chapter 13. Transporters

#### §1315. Spills

A. - E. ...

1. give notice, if required by 49 CFR 171.15, to the National Response Center ~~(by telephone at (800) 424-8802 or (202) 426-2675); and~~

2. report in writing, as required by 49 CFR 171.16, to the ~~Director, Office of Hazardous Materials Regulations, Materials Transportation Bureau~~ Information Systems Manager, PHH-63, Pipeline and Hazardous Materials Safety Administration, Department of Transportation, Washington, D.C. 20590-0001, or send an electronic Hazardous Materials Incident Report to the Information System Manager, DHM-63, Research and Special Programs Administration, Department of Transportation, Washington, DC 20590-0001. An electronic Hazardous Materials Incident Report form can be obtained at <http://hazmat.dot.gov>.

F. As required by 33 CFR 153.203 for oil and hazardous substance, a water (bulk shipment) transporter who has discharged hazardous waste must immediately notify the National Response Center (NRC), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593 by telephone at (800) 424-8802 or (202) 267-2675 ~~give the same notice as required by 33 CFR 153.203 for oil and hazardous substance.~~

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2180 et seq.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Hazardous Waste Division, LR 10:200 (March 1984), amended LR 10:496 (July 1984), amended by the Office of the Secretary, Legal Affairs Division, LR 34:\*\*.

#### §1319. Use and Reuse of Containers

A. - B.4. ...



~~C. Repealed. Any container, including tank trucks, used to transport waste shall be cleaned before leaving the disposal site. Such cleaning should be by a method or methods necessary to remove the hazardous constituents to a level which will not cause an incompatibility with any subsequent shipment and/or render any future load hazardous. All material resulting from such cleaning shall be considered a hazardous waste unless otherwise approved by the administrative authority.~~

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2180 et seq.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Hazardous Waste Division, LR 10:200 (March 1984), amended by the Office of the Secretary, Legal Affairs Division, LR 34:\*\*.

## **Chapter 15. Treatment, Storage, and Disposal Facilities**

### **§1517. General Requirements for Ignitable, Reactive, or Incompatible Wastes**

A. - D. ...

~~E. Any container, including tank trucks, used to transport waste shall be cleaned before leaving the disposal site. Such cleaning should be by a method or methods necessary to remove the hazardous constituents to a level which will not cause an incompatibility with any subsequent shipment and/or of itself render any future load hazardous. All material resulting from such cleaning shall be considered a hazardous waste unless otherwise approved by the administrative authority.~~

EE. When required to comply with LAC 33:V.1517.A and B, the owner or operator must document that compliance. This documentation may be based on references to published scientific or engineering literature, data from trial tests (e.g., bench scale or pilot scale tests), waste analyses, or the results of the treatment of similar wastes by similar treatment processes and under similar operating conditions.

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2180 et seq.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Hazardous Waste Division, LR 10:200 (March 1984), amended by the Office of the Secretary, Legal Affairs Division, LR 34:\*\*.

## **Chapter 43. Interim Status**

### **Subchapter G. Financial Requirements**

#### **§4397. Applicability**

A. ...

B. The requirements of LAC 33:V.4405 and 4409~~7~~ apply only to owners and operators of:

B.1. - D.2. ...

AUTHORITY NOTE: Promulgated in accordance with R.S. 30:2180 et seq.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Hazardous Waste Division, LR 10:200 (March 1984), amended LR 13:433 (August 1987), LR 13:651 (November 1987), LR 21:266 (March 1995),

amended by the Office of Waste Services, Hazardous Waste Division, LR 24:1109 (June 1998), LR 25:486 (March 1999), amended by the Office of the Secretary, Legal Affairs Division, LR 34:\*\*.

### **Chapter 49. Lists of Hazardous Wastes**

#### **§4999. Appendices—Appendix A, B, C, D, and E**

Appendix A. - Appendix D. ...

#### **Appendix E. Wastes Excluded under LAC 33:V.105.M**

A. - B.3.b. ...

<b>Table 1 - Wastes Excluded</b>
* * *
[See Prior Text in Dupont Dow Elastomers LLC, Laplace, LA – BFI Waste Systems of Louisiana LLC, Colonial Landfill, Sorrento, LA, (4)]

<b>Table 1 - Wastes Excluded</b>
<b>Syngenta Crop Protection, Inc., St. Gabriel, LA</b>
Incinerator ash, at a maximum annual generation rate of 3,600 cubic yards per year, and incinerator scrubber water, at a maximum annual generation rate of 420,000 cubic yards per year (approximately 85 million gallons per year), result from incineration at the Syngenta Crop Protection, Inc., facility in St. Gabriel, Louisiana. Syngenta's waste stream includes the United States Environmental Protection Agency (USEPA) hazardous waste codes F001-F005, F024, K157-K159, and all P and U codes. The constituents of concern for these waste codes are listed in LAC 33:V.4901. This exclusion applies only to incinerator ash and incinerator scrubber water resulting from incineration conducted at Syngenta's St. Gabriel facility. Syngenta must implement a testing and management program that meets the following conditions for the exclusion to be valid.
* * *
[See Prior Text in (1) - (3)(A)]
(3)(B). Organic Constituents (all units are milligrams per liter) acetone—26.0; benzene—0.05; carbon tetrachloride—0.18; chloroform—0.14; 1,2-dichlorobenzene—0.77; hexachlorobenzene—0.13; nitrobenzene—0.14; pentachlorobenzene—0.04; pyridine—0.26; toluene—10.0; toxaphene— <u>0.089</u> ; and vinyl chloride—0.05.
* * *
[See Prior Text in (4) - (4)(A)]

**Table 1 - Wastes Excluded**

\* \* \*

[See Prior Text in Murphy Exploration and Production Company,  
Amelia, LA]

**AUTHORITY NOTE:** Promulgated in accordance with R.S. 30:2180 et seq.

**HISTORICAL NOTE:** Promulgated by the Department of Environmental Quality, LR 20:1000 (September 1994), amended by the Office of Solid and Hazardous Waste, Hazardous Waste Division, LR 21:944 (September 1995), LR 22:830 (September 1996), amended by the Office of Waste Services, Hazardous Waste Division, LR 23:952 (August 1997), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 25:2397 (December 1999), LR 26:2509 (November 2000), LR 29:1084 (July 2003), repromulgated LR 29:1475 (August 2003), amended by the Office of Environmental Assessment, LR 30:2464 (November 2004), amended by the Office of the Secretary, Legal Affairs Division, LR 33:445 (March 2007), LR 33:825 (May 2007), LR 33:1016 (June 2007), LR 34:\*\*.

## **Part IX. Water Quality**

### **Subpart 2. The Louisiana Pollutant Discharge Elimination System (LPDES) Program**

#### **Chapter 27. LPDES Permit Conditions**

##### **§2707. Establishing Limitations, Standards, and Other Permit Conditions**

A.1. - K.3. ...

4. the practices are reasonably necessary to achieve effluent limitations and standards or to carry out the purposes and intent of the CWA and the LEQA.

[NOTE: Additional technical information on BMPs and the elements of BMPs is contained in the following documents: Guidance Manual for Developing Best Management Practices (BMPs), October 1993, EPA No. 833/B-93-004, NTIS No. PB 94-178324, ERIC No. W498; Storm Water Management for Construction Activities: Developing Pollution Prevention Plans and Best Management Practices, September 1992, EPA No. 832/R-92-005, NTIS No. PB 92-235951, ERIC No. N482; Storm Water Management for Construction Activities, Developing Pollution Prevention Plans and Best Management Practices: Summary Guidance, EPA No. 833/R-92-001, NTIS No. PB 93-223550, ERIC No. W139; Storm Water Management for Industrial Activities; Developing Pollution Prevention Plans and Best Management Practices, September 1992; EPA No. 832/R-92-006, NTIS No. PB 92-235969, ERIC No. N477; Storm Water Management for Industrial Activities, Developing Pollution Prevention Plans and Best Management Practices: Summary Guidance, EPA No. 833/R-92-002, NTIS No. PB 94-133782, ERIC No. W492. Copies of these documents (or directions on how to obtain them) can be obtained by contacting either the Office of Water Resource Center (using the EPA document number as a reference) at (202) ~~260-7786~~566-1729 or the Educational Resources Information Center (ERIC) (using the ERIC number as a reference) at (800) ~~276-0462~~538-3742. Updates of these documents or additional BMP documents may also be available. A list of EPA BMP guidance documents is available on the Office of Water Management Home Page at <http://www.epa.gov/owm>. In addition, states may have BMP guidance documents. These EPA guidance documents are listed here only for informational purposes;

they are not binding and EPA does not intend that these guidance documents have any mandatory regulatory effect by virtue of their listing in this note.]

L. - S. ...

**AUTHORITY NOTE:** Promulgated in accordance with R.S. 30:2001 et seq., and in particular Section 2074(B)(3) and (B)(4).

**HISTORICAL NOTE:** Promulgated by the Department of Environmental Quality, Office of Water Resources, LR 21:945 (September 1995), amended LR 23:724 (June 1997), LR 23:1523 (November 1997), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:2282 (October 2000), LR 26:2764 (December 2000), LR 28:469 (March 2002), LR 28:1767 (August 2002), repromulgated LR 30:230 (February 2004), amended by the Office of Environmental Assessment, LR 31:426 (February 2005), amended by the Office of the Secretary, Legal Affairs Division, LR 33:2070 (October 2007), LR 34:\*\*.

## **Chapter 49. Incorporation by Reference**

### **§4905. Availability**

A. Copies of ~~these documents~~ incorporated by reference may be obtained from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20401, or by telephone at (866) 512-1800.

~~Government Institutes, Inc.  
4 Research Place, Suite 200  
Rockville, Maryland 20850  
(301) 921-2355~~

**AUTHORITY NOTE:** Promulgated in accordance with R.S. 30:2001 et seq., and in particular Section 2074(B)(3) and (B)(4).

**HISTORICAL NOTE:** Promulgated by the Department of Environmental Quality, Office of Water Resources, LR 21:945 (September 1995), repromulgated by the Office of Environmental Assessment, Environmental Planning Division, LR 30:232 (February 2004), amended by the Office of the Secretary, Legal Affairs Division, LR 34:\*\*.

## **Chapter 61. General Pretreatment Regulations for Existing and New Sources of Pollution**

### **§6125. Variances from Categorical Pretreatment Standards for Fundamentally Different Factors**

A. - H.9. ...

I. \_\_\_\_\_ a. \_\_\_\_\_ Deficient Requests. The administrator (or his delegate) or the state administrative authority will only act on written requests for variances that contain all of the information required. Persons who have made incomplete submissions will be notified by the administrator (or his delegate) or the state administrative authority that their requests are deficient and unless the time period is extended, will be given up to thirty days to remedy the deficiency. If the deficiency is not corrected within the time period allowed by the administrator (or his delegate) or the state administrative authority, the request for a variance shall be denied.

J. - M.2. ...

**AUTHORITY NOTE:** Promulgated in accordance with R.S. 30:2001 et seq., and in particular Section 2074(B)(3) and (B)(4).

**HISTORICAL NOTE:** Promulgated by the Department of Environmental Quality, Office of Water Resources, LR 21:945 (September 1995), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:2556 (November 2000), repromulgated LR 30:232 (February 2004), amended by the Office of the Secretary, Legal Affairs Division, LR 31:2515 (October 2005), LR 33:2170 (October 2007), LR 34:\*\*.

## **Part XI. Underground Storage Tanks**

### **Chapter 7. Methods of Release Detection and Release Reporting, Investigation, Confirmation, and Response**

#### **§707. Reporting of Suspected Releases**

A. - A.4.a. ...

b. a UST system analysis report result of “inconclusive.”

**AUTHORITY NOTE:** Promulgated in accordance with R.S. 30:2001 et seq.

**HISTORICAL NOTE:** Promulgated by the Department of Environmental Quality, Office of Solid and Hazardous Waste, Underground Storage Tank Division, LR 16:614 (July 1990), amended by the Office of Environmental Assessment, Environmental Planning Division, LR 26:2559 (November 2000), LR 30:1677 (August 2004), amended by the Office of Environmental Assessment, LR 31:1073 (May 2005), amended by the Office of the Secretary, Legal Affairs Division, LR 34:\*\*.